





garden products **...direct to your door**



- garden sheds
- summerhouses
- littlehouses
- pine lodges
- dog runs
- seating



gardenproducts 2006

contents

garden sheds	3
littlehouses	8
summerhouses	13
pine lodge	17
others	18

general specification

Timber Buildings

Applies to all products unless otherwise stated.

Timber

All buildings are produced to the highest standards using quality timbers from sustainable sources. Timber sizes detailed are the actual sizes after the timber has been planed and machined.

Walls: are constructed using softwood planed tongue and groove Shiplap pattern boarding. Actual size 12x120 mm (1/2x 4³/₄"

Floor: 12x120 mm (1/2x 4³/₄") planed tongue and groove Matching pattern boarding.

Framework (walls and floor): softwood planed 35x35 mm (1 1/2"x1 1/2")

Roof: Usually constructed using 11mm Oriented Strand board (OSB).

On some Summerhouses 12 x 120 mm (1/2x4³/₄) planed tongue and groove Matching pattern boarding will be used. See text for details in the description of each model.

Windows: Are properly morticed and tenoned. They are opening, profiled and weather resistant. The window has a unique profiled 'lip' that covers the aperture of the opening in the panel making it weather resistant. Casement stays have 2 levels of opening.



'Shed' Doors: are ledged and braced and supplied with a padbolt. Hinges may be fitted to the right or left.

'Joinery' Doors: are morticed and tenoned, profiled and weather resistant – they co-ordinate with the windows.

Glazing: Sheds and Summerhouses are supplied with 3mm horticultural glass, Little Houses with styrene glazing. All glazing is retained by profiled beading which is pre-mitred (no awkward corners to be cut).

Design: Buildings are supplied flat packed for ease of handling and assembly.

Playhouses:

All playhouses comply with BS5665 EN71

Treatment:

All buildings are supplied pre-treated on both sides in a honey brown water based industrial product. Some photographs show what may be achieved with the additional application of coloured treatment. We recommend that buildings be treated with a suitable decorative wood finish immediately and within 3 months of assembly. We further recommend that all pieces be treated again at least annually or as frequently as the instructions of the product used recommend.

General

- All sizes stated are approximate.
- All buildings are made to metric measurements.
- Imperial measurements give an indication of size only.
- We reserve the right to modify design and/or specification.
- Allowances should be made for roof overhang.
- All buildings should be assembled onto a firm, level base.
- All optional extras must be ordered with a building.

Wood is a natural product and is therefore prone to changes in appearance, including some warping, movement and splitting, particularly during unusual climatic conditions (long hot or wet spells of weather). As a natural occurrence this is not covered by a guarantee.

Most buildings are shown decorated with flowers, tools, toys, etc – these are for photographic purposes and are not included in the sale of the building.

garden sheds



◀ Harris Apex

Give yourself space for even more of those 'just keep' items. Two opening windows

Foot print: 2390 x 1790 mm
(8 x 6')

Height to eaves: 1760 mm

Height to ridge: 2050 mm

Door: height x width 1695 x 785 mm

External size: 2420 x 1920 mm



Tresco Apex ▶

Bikes, lawnmowers - a handy extra space for storage. One opening window.

Foot print: 1790 x 1190 mm
(6 x 4')

Height to eaves: 1760 mm

Height to ridge: 1960 mm

Door: height x width 1695 x 785 mm

External size: 1820 x 1330 mm



garden sheds



◀ Arran Apex

Maximise your available space with this well proportioned building allowing ample space inside with easy access through the double doors. One single opening window.


Foot print:	1790 x 1790 mm (6 x 6')
Height to eaves:	1760 mm
Height to ridge:	2050 mm
Door: height x width	1695 x 1355 mm
External size:	1810 x 1920 mm



Alderney Apex ▶

Big enough for a ride-on mower and other essential garden tools. One criss-cross opening window.

Foot print:	1980 x 2050 mm (7 x 7')
Height to eaves:	1760 mm
Height to ridge:	2130 mm
Door: height x width	1610 x 1360 mm
Roof overhang:	300 mm
External size:	2160 x 2380 mm



garden sheds

Guernsey Apex ▶

For even more essential items.
Two opening criss-cross windows.

Footprint:	1980 x 3040 mm (7x10')
Height to eaves:	1760 mm
Height to ridge:	2130 mm
Door: height x width	1610 x 1360 mm
External size:	2160 x 3320 mm



◀ Jersey Apex

For those that like or need loads of space.
Two opening criss-cross windows.

Footprint:	1980 x 4030 mm (7x13')
Height to eaves:	1760 mm
Height to ridge:	2130 mm
Door: height x width	1610 x 1360 mm
External size:	2160 x 4310 mm



garden sheds

Potting shed 1.8 x 1.2 mtr (6x4)

The gardeners dream. One opening window. The door / window panel may be positioned at either side of the building. Complete with workbench.

Foot print:	1790 x 1190 mm (6 x 4')
	1190 mm (4') measurement is the front
Height to eaves:	1760 mm
Height to ridge:	2010 mm
Door: height x width	1695 x 785 mm
External size:	1810 x 1210 mm

Potting shed 1.8 x 1.8 mtr (6x6) ▶

For the gardener with larger dreams. One opening window. The door / window panel may be positioned at either side of the building. Complete with workbench.

Foot print:	1790 x 1790 mm (6 x 6')
Height to eaves:	1760 mm
Height to ridge:	2010 mm
Door: height x width	1695 x 785 mm
External size:	1810 x 1770 mm

Photograph shows 1.8 x 1.8 model



◀ Corner Shed

Make the most of a difficult corner. Relax and enjoy. Two opening extended criss-cross windows with matching doors.

Foot print:	2248 x 2248 mm (8 x 8')
Height to eaves:	1980 mm
Height to ridge:	2150 mm
Door: height x width	1750 x 1360 mm



garden sheds

Abri ►

An attractive variation to the traditional shed. One opening criss-cross window.

Footprint:	1980 x 2050 mm (7x7')
Height to eaves:	1760 mm
Height to ridge:	2120 mm
Door: height x width	1610 x 762 mm
External size:	2160 x 2380 mm



◀ Casita

Shed or Summerhouse? Two opening criss-cross windows. Tongue and groove roof and floor. **Optional Verandah** adds an additional 650 mm to length of standard building.

Footprint:	1980 x 2050 mm (7x7')
Height to eaves:	1760 mm
Height to ridge:	2120 mm
Door: height x width	1610 x 708 mm
External size:	2160 x 2380 mm



littlehouses



◀ Bunny

Pretty and petite. A great gift idea. One opening criss-cross window with matching door. Styrene glazing in window and door. Complies with BS5665 EN71.

Foot print:	1190 x 1190 mm (4 x 4')
Height to eaves:	1160 mm
Height to ridge:	1490 mm
Door width:	520 mm
External size:	1250 x 1240 mm

Optional window box
with profiled roof trim



Cubby ▶

A charming building that will give continued pleasure for many years. Two opening windows. Diamond feature in door. Styrene glazing in windows and door. Complies with BS5665 EN71.

Foot print:	1790 x 1190 mm + 495 mm canopy (6 x 4' + 1'6")
Height to eaves:	1240 mm
Height to ridge:	1680 mm
Door width:	635 mm
External size:	1860 x 1712 mm

Optional window box





littlehouses



◀ Pixie

Lots of light, lots of space. Fun for all. Two opening criss-cross windows with matching door. Styrene glazing in windows and door. Complies with BS5665 EN71.

- Foot print:** 1790 x 1190 mm + 490 mm canopy (6 x 4' + 1'6")
- Height to eaves:** 1160 mm
- Height to ridge:** 1550 mm
- Door width:** 650 mm
- External size:** 1860 x 1707 mm

Optional window box



Command Post ▶

Water gun ports and observation points ensure that the enemy is held at bay or allowed to retreat to a quiet house. Three fixed windows and two opening ports. Styrene glazing in windows. Complies with BS5665 EN71.

- Foot print:** 1790 x 1190 mm (6 x 4')
- Height to eaves:** 960 mm
- Height to ridge:** 1650 mm
- Door height:** 795 mm
- External size:** 1790 x 1260 mm



littlehouses

Stork ►

The building is pretty and special. The platform adds an opportunity to look down on parents. The ladder may be positioned at the front or at either side. Two opening criss-cross windows with matching door. Styrene glazing in windows and door. Complies with BS5665 EN71.

Foot print: 1790 x 1190 mm
+ 600 mm canopy
(6 x 4'+2')

Height to eaves: 1160 mm

Height to ridge: 1550 mm

Door width: 520 mm

External size: 1810 x 1830 mm

Stork with Optional Platform

Adds an additional 1 mtr (3') in height

Optional window box



◀ Jailhouse

Every sheriff's dream house. Something for the indians to capture? Fixed wooden 'bar'' design windows. Slatted verandah floor and 'horse' rail. Supplied without nameplate.

Footprint: 1790 x 1190 mm
(6x4')

Height to eaves: 1690 mm

Height to ridge: 1790 mm

Door width: 544 mm

External size: 1890 x 1870 mm





littlehouses

Primrose ▶

A delightful and prestigious property. Complete with two side windows with decorative shutters. Four windows, two opening. Two window boxes

Footprint: 1790 x 1190 mm
plus 495 mm verandah
(6x4+1'6")

Height to eaves: 1240 mm

Height to ridge: 1680 mm

Door width: 635 mm

External size: 1860 x 1712 mm



◀ Kitty

Light and airy with a shady canopy. Ideal playhouse. One opening criss-cross window with matching door. Styrene glazing in window and door. Complies with BS5665 EN71.

Foot print: 1490 x 1190 mm
+ 305 mm canopy
(5 x 4'+1')

Height to eaves: 1160 mm

Height to ridge: 1550 mm

Door width: 650 mm

External size: 1560 x 1520 mm

Optional window box



littlehouses




Loft ▲

Your first house – but no mortgage – what could be better? The upstairs is 1660 x 730mm and comes complete with balustrade and ladder. Two of the four criss-cross windows open. Supplied with artificial shutters and two window boxes. Styrene glazing in windows and door. Complies with BS5665 EN71.

Foot print:	2400 x 1668 mm (8 x 6')
Height to eaves:	1760 mm
Height to ridge:	2300 mm
Door width:	590 mm
External size:	2520 x 1940 mm

Optional extra window box & Optional extra opening window kit



summerhouses

Westminster ►

A purposeful garden room, study, music room the choices are endless. Two opening extended criss-cross windows with matching double doors and wing lights. Tongue and groove roof and floor. Photograph shows Westminster with **Optional Verandah** which adds an additional 650 mm to the length.

Footprint:	1980 x 3040mm (7x10')
Height to eaves:	1760 mm
Height to ridge:	2130 mm
Door: height x width	1610 x 900 mm
External size:	2160 x 3320 mm



◀ Buckingham

BBQ during the day, extra room at night, or your space not to be shared. One opening extended criss-cross window with matching double doors. Tongue and groove roof and floor.

Foot print:	1980 x 2050 mm (7 x 7')
Height to eaves:	1760 mm
Height to ridge:	2130 mm
Door: height x width	1610 x 1360 mm
External size:	2160 x 2380 mm

Optional Verandah ▼

An ideal area for sunny, warm days. Adds an additional 650 mm to length of standard building.



summerhouses



◀ Chatsworth

Savour the privacy of your garden with this well defined summerhouse. Two opening extended windows with matching door. Tongue and groove roof and floor.

Footprint:	1980 x 2050 mm (7x7')
Height to eaves:	1760 mm
Height to ridge:	2130 mm
Door: height x width	1610 x 670 mm
External size:	2160 x 2380 mm



Kensington ▶

Enjoy your garden with even better views. Sit back and appreciate your surroundings. One opening extended criss-cross window with matching double doors and wing lights. Tongue and groove roof and floor.

Foot print:	1980 x 2050 mm (7 x 7')
Height to eaves:	1760 mm
Height to ridge:	2130 mm
Door: height x width	1610 x 900 mm
External size:	2160 x 2380 mm

Optional Verandah ▼

An ideal area for sunny, warm days. Adds an additional 650 mm to length of standard building.




summerhouses



◀ Hampton

Make the most of a difficult corner. Relax and enjoy. Two opening extended criss-cross windows with matching doors.


Foot print:	2248 x 2248 mm (8 x 8')
Height to eaves:	1980 mm
Height to ridge:	2150 mm
Door: height x width	1750 x 1360 mm



Arbour ▶

A garden hide-away that creates its own romance. Tongue and groove roof and floor. Pressure Treated timbers.

Footprint:	1867 x 2156 mm (6x7')
Height to eaves:	1930 mm
Height to ridge:	2650 mm
Door height x width:	1760 x 990 mm




summerhouses

Gazebo

An elegant feature in any garden.

Foot print:	1867 x 2156 mm (6 x 7')
Height to eaves:	1860 mm
Height to ridge:	2460 mm
Entrance width:	990 mm



◀ Gazebo Summerhouse

Your own private retreat. Glass of wine, good book – who could ask for more. Two opening extended criss-cross windows with matching single door.

Foot print:	1867 x 2156mm (6 x 7')
Height to eaves:	1860 mm
Height to ridge:	2460 mm
Door: height x width	1610 x 670 mm

pine lodge

Dean Pine Lodge ►

Affordable, elegant luxury. 28 mm thick wall timbers. Floor and roof boards 16 mm tongue and groove, Floor bearers 38 x 63 mm. Optional window box. Untreated.

Footprint:	2390 x 2390 mm
Height to eaves:	2000 mm
Height to ridge:	2200 mm
Door: height x width	1700 x 680 mm
External size:	2470 x 2470 mm



◀ Fiston Pine Lodge

Classical Elegance, quality assured. 28 mm thick wall timbers. Floor and roof boards 16 mm tongue and groove. Floor bearers 38 x 63 mm. Optional window box. Untreated.

Footprint:	2390 x 2390 mm
Height to eaves:	2000 mm
Height to ridge:	2400 mm
Door: height x width	1700 x 1360 mm
External size:	2470 x 2470 mm



others



◀ Tool store

Useful extra space for perhaps toys or tools. Double doors for easy access and two half width shelves. OSB roof and floor.

Foot print:	1194 x 590 mm (4 x 2')
Height to eaves:	1450 mm
Height to ridge:	1550 mm
Door width:	457 mm
External size:	1220 x 625 mm



Dog Run ▶

The run is produced without a floor. Roof and floor of kennel are OSB. Separate personal doors to kennel and run. Sliding door for dog use from kennel to run. Photograph shows 2390 mm run.

**1190 x 1190 mm kennel with
1790 mm run (4x4x6')**
External size: 1190 x 3005 mm

**1190 x 1190 mm kennel with
2390 mm run (4x4x8')**
External size: 1190 x 3586 mm

Height to eaves: 1487 mm
Height to ridge: 1679 mm



Arched Garden Seat ▶

Stretch out and relax beneath the canopy of this distinct seat.

Footprint: 1330 x 680 mm (4x2')
Height to ridge: 2150 mm



◀ Garden Seat

A sheltered spot to enjoy a glass of wine, read a good book or just contemplate the day.

Foot print: 1190 x 600 m (4 x 2')
Height to eaves: 1660 mm
Height to ridge: 2000 mm

Octagonal Picnic Seat ▶

A heavy-duty solid pine pressure treated table with integral seating. Picture shows table with customer applied decorative finish.

Footprint: 1780 x 1780 mm (8x8')



